**Comparison of Racial and Ethnic Distribution by County** Children Aged < 5 Years (2)

		Compariso	on of Racial a	ınd Ethnic Di	stribution by	County		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
	, , ,	70	70	70	70	70		
Adams	14,032	21.4	1.5	73.2	0.7	1.8	1.4	0.0
Alamosa	1,289	25.3	0.9	72.6	0.3	0.3	0.6	0.0
Arapahoe	17,473	18.1	15.8	59.0	1.0	2.7	3.4	0.1
Archuleta	280	41.4	0.0	56.8	0.4	0.0	1.4	0.0
Baca	103	70.9	0.0	27.2	0.0	0.0	1.9	0.0
Bent	187	54.5	0.5	40.1	0.0	1.6	3.2	0.0
Boulder	4,915	25.0	1.0	68.5	0.8	1.9	2.7	0.0
Broomfield	624	43.4	1.4	46.3	0.8	3.4	4.6	0.0
Chaffee	274	53.6	0.0	28.8	1.1	0.0	16.4	0.0
Cheyenne	205	40.5	1.0	54.6	1.0	0.5	2.4	0.0
Clear Crk	131	82.4	0.8	12.2	0.0	0.0	4.6	0.0
Costilla	6	*	*	*	*	*	*	*
Custer	34	*	*	*	*	*	*	*
Delta	600	44.5	0.3	50.0	0.3	0.3	4.3	0.2
Denver	18,519	8.5	14.6	71.2	1.2	2.0	2.4	0.0
Dolores	55	*	*	*	*	*	*	*
Douglas	1,685	59.1	2.9	30.4	0.2	2.1	5.3	0.0
Eagle	1,085	4.9	0.7	93.5	0.4	0.3	0.2	0.0
El Paso	16,851	42.2	8.7	39.5	0.8	1.4	7.4	0.1

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 22 / 10

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Colorado

**Comparison of Racial and Ethnic Distribution by County** Children Aged < 5 Years (2)

		Compariso	on of Racial a	and Ethnic D	istribution by	County		
County	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Allalysis (3)	%	%	%	%	%	%	%
Elbert	88	*	*	*	*	*	*	*
Fremont	1,190	78.4	0.7	18.7	0.3	0.3	1.4	0.2
Garfield	1,470	16.1	0.6	81.4	0.7	0.1	1.1	0.0
Gilpin	34	*	*	*	*	*	*	*
Grand	192	51.6	0.5	43.2	0.0	0.0	4.7	0.0
Gunnison	267	56.2	0.4	40.4	0.4	0.0	2.6	0.0
Huerfano	186	28.0	0.0	67.7	1.1	0.0	3.2	0.0
Jackson	30	*	*	*	*	*	*	*
Jefferson	7,720	44.8	2.5	47.7	0.9	2.3	1.8	0.0
Kiowa	26	*	*	*	*	*	*	*
Kit Carson	211	49.3	1.4	47.4	0.5	0.5	0.9	0.0
La Plata	928	36.9	0.1	46.8	10.3	0.3	5.5	0.1
Lake	331	13.9	0.0	84.9	0.6	0.0	0.6	0.0
Larimer	4,702	49.5	1.0	45.5	0.5	0.9	2.6	0.0
Las Animas	471	25.9	0.4	72.0	0.2	0.0	1.5	0.0
Lincoln	162	74.1	1.9	23.5	0.0	0.0	0.6	0.0
Logan	677	64.0	2.1	32.5	0.1	0.4	0.9	0.0
Mesa	3,657	55.7	0.4	39.5	0.4	0.5	3.4	0.1
Moffat	487	50.1	0.8	45.8	0.2	0.2	2.9	0.0

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 22 / 10

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Comparison of Racial and Ethnic Distribution by County** Children Aged < 5 Years (2)

		Compariso	on of Racial a	nd Ethnic Di	stribution by	County		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Montezuma	764	50.1	0.0	32.5	12.7	0.1	4.6	0.0
Montrose	1,712	41.9	0.3	49.2	0.7	0.6	7.2	0.1
Morgan	1,391	25.8	3.7	68.2	0.5	0.2	1.4	0.1
Otero	1,097	31.3	0.0	67.1	0.2	0.2	1.3	0.0
Ouray	47	*	*	*	*	*	*	*
Park	185	70.8	0.5	17.3	1.1	1.1	9.2	0.0
Phillips	174	43.1	0.0	56.3	0.0	0.0	0.6	0.0
Pitkin	72	*	*	*	*	*	*	*
Prowers	667	30.1	0.4	67.0	0.9	0.0	1.5	0.0
Pueblo	6,061	23.4	1.1	68.8	0.7	0.3	5.6	0.1
Rio Blanco	184	58.7	0.0	38.0	2.2	0.0	0.5	0.5
Rio Grande	446	18.2	0.0	80.9	0.4	0.0	0.4	0.0
Routt	207	45.9	1.4	49.3	1.4	0.5	1.4	0.0
Saguache	281	13.5	0.0	84.7	1.1	0.7	0.0	0.0
San Miguel	106	41.5	0.0	54.7	1.9	0.0	1.9	0.0
Sedgwick	66	*	*	*	*	*	*	*
Summit	560	20.2	1.3	76.6	0.4	0.7	0.9	0.0
Teller	388	87.9	0.8	6.7	0.8	1.0	2.8	0.0
Washinton	62	*	*	*	*	*	*	*

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 3 / 22 / 10

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 4B

### **2009 Pediatric Nutrition Surveillance** (1) Colorado

### **Comparison of Racial and Ethnic Distribution by County** Children Aged < 5 Years (2)

Page: Run Date: 3 / 22 / 10

	Comparison of Racial and Ethnic Distribution by County												
County	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (3)	%	%	%	%	%	%	%					
Weld	4,946	25.4	1.9	70.6	0.4	0.9	0.8	0.0					
Yuma	432	47.9	0.2	48.6	0.2	0.0	3.0	0.0					
Colorado	121,025	29.4	6.5	58.3	0.9	1.5	3.3	0.0					
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7					



<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Comparison of Age Distribution by County** Children Aged < 5 Years (2)

	Comparis	on of Age Distribut	ion by County	
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	14,032	38.3	18.3	43.4
Alamosa	1,289	35.6	19.0	45.4
Arapahoe	17,473	39.1	17.7	43.2
Archuleta	280	39.6	15.4	45.0
Baca	103	33.0	14.6	52.4
Bent	187	37.4	16.6	46.0
Boulder	4,915	34.9	18.2	47.0
Broomfield	624	38.5	18.6	42.9
Chaffee	274	42.7	17.2	40.1
Cheyenne	205	29.8	20.5	49.8
Clear Crk	131	34.4	23.7	42.0
Costilla	6	*	*	*
Custer	34	*	*	*
Delta	600	33.8	20.3	45.8
Denver	18,519	40.6	18.4	41.0
Dolores	55	*	*	*
Douglas	1,685	43.0	19.3	37.7
Eagle	1,085	41.9	19.9	38.2

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparis	on of Age Distribut	ion by County	
County	Number Included in	0 - 11 Months	12 - 23 Months	24 - 59 Months
	Analysis (3,4)	%	%	%
El Paso	16,851	36.1	19.2	44.8
Elbert	88	*	*	*
Fremont	1,190	35.5	18.2	46.2
Garfield	1,470	43.7	20.1	36.1
Gilpin	34	*	*	*
Grand	192	42.2	15.1	42.7
Gunnison	267	35.2	23.2	41.6
Huerfano	186	39.2	20.4	40.3
Jackson	30	*	*	*
Jefferson	7,720	36.7	21.6	41.7
Kiowa	26	*	*	*
Kit Carson	211	34.1	15.2	50.7
La Plata	928	42.1	20.5	37.4
Lake	331	33.5	22.7	43.8
Larimer	4,702	37.4	18.7	43.9
Las Animas	471	39.9	17.4	42.7
Lincoln	162	40.1	16.7	43.2
Logan	677	38.0	16.4	45.6

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Comparison of Age Distribution by County** Children Aged < 5 Years (2)

	Compari	son of Age Distribut	ion by County	
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Mesa	3,657	40.9	19.7	39.5
Moffat	487	45.2	16.8	38.0
Montezuma	764	31.8	19.4	48.8
Montrose	1,712	33.2	18.2	48.6
Morgan	1,391	39.0	16.5	44.5
Otero	1,097	31.3	18.9	49.9
Ouray	47	*	*	*
Park	185	37.3	20.0	42.7
Phillips	174	25.9	21.3	52.9
Pitkin	72	*	*	*
Prowers	667	34.6	19.8	45.6
Pueblo	6,061	33.4	20.3	46.3
Rio Blanco	184	35.9	16.3	47.8
Rio Grande	446	37.4	15.5	47.1
Routt	207	47.3	16.9	35.7
Saguache	281	25.6	21.7	52.7
San Miguel	106	32.1	28.3	39.6
Sedgwick	66	*	*	*

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

7

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Comparison of Age Distribution by County** Children Aged < 5 Years (2)

	Comparison of Age Distribution by County										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months							
	(3,4)	%	%	%							
Summit	560	35.9	22.9	41.3							
Teller	388	37.1	19.3	43.6							
Washinton	62	*	*	*							
Weld	4,946	43.1	21.7	35.2							
Yuma	432	31.9	20.1	47.9							
Colorado	121,025	38.0	19.0	43.0							
Nation (Prior Year)	8,164,612	35.8	23.0	41.3							



Page:

Run Date:

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 9 Run Date: 3 / 22 / 10

		Com	parison o	of Grow	th and A	nemia I	ndicato	rs by C	ounty	(3,4)		
		Birthweight	(5)		Height and Weight							
		High		Short Stature (6)	Under- Obese weight (7) (7)		≥ 2 Yrs Over- weight <sub>(7)</sub>		Low	nemia Hb/Hct (8)		
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Adams	3,411	9.6 (19)	4.6 (16)	13,912	7.1 (16)	3.1 (17)	8.4 (25)	6,019	15.8 (24)	8.7 (16)	8,057	15.2 (30)
Alamosa	296	15.9 (27)	2.7 (3)	1,264	9.7 (37)	4.9 (35)	8.6 (29)	578	15.2 (23)	11.8 (33)	778	17.0 (35)
Arapahoe	4,150	8.7 (13)	4.6 (16)	17,322	7.0 (14)	4.3 (30)	9.4 (35)	7,493	13.2 (11)	9.4 (20)	10,989	14.6 (29)
Archuleta	68	* *	* *	275	12.7 (47)	4.4 (33)	5.1 (7)	125	8.8 (1)	4.0 (3)	62	* *
Baca	16	* *	* *	98	* *	* *	* *	52	* *	* *	71	* *
Bent	44	* *	* *	186	11.3 (43)	4.3 (30)	12.4 (46)	85	* *	* *	115	7.8 (6)
Boulder	1,074	6.3 (3)	5.9 (24)	4,867	5.4 (7)	2.3 (6)	10.1 (41)	2,299	16.7 (31)	11.7 (32)	3,100	11.4 (17)
Broomfield	142	6.3 (3)	6.3 (25)	617	8.3 (28)	3.2 (19)	6.2 (13)	267	12.0 (7)	8.6 (15)	356	11.8 (20)
Chaffee	69	* *	* *	273	9.5 (36)	3.7 (22)	2.2 (2)	109	9.2 (3)	1.8 (1)	159	0.0 (1)
Cheyenne	39	* *	* *	202	10.4 (40)	5.4 (39)	8.9 (32)	104	12.5 (9)	10.6 (27)	132	8.3 (8)
Clear Crk	29	* *	* *	130	10.8 (42)	6.2 (44)	0.8 (1)	56	* *	* *	44	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 10 Run Date: 3 / 22 / 10

		Com	parison c	of Growt	h and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low High			Short Stature (6)	Under- weight (7)		≥ 2 Yrs Over- weight <sub>(7)</sub>			Anemia Low Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Costilla	0	* *	* *	6	* *	* *	* *	4	* *	* *	5	* *
Custer	9	* *	* *	34	* *	* *	* *	13	* *	* *	23	* *
Delta	138	8.7 (13)	6.5 (27)	593	4.9 (4)	4.2 (29)	9.3 (34)	273	12.1 (8)	10.3 (24)	349	13.8 (26)
Denver	4,778	9.3 (18)	5.2 (21)	18,390	7.3 (18)	3.4 (20)	9.0 (33)	7,549	15.0 (22)	10.6 (27)	11,500	11.8 (20)
Dolores	16	* *	* *	54	* *	* *	* *	27	* *	* *	33	* *
Douglas	452	9.7 (20)	3.3 (8)	1,672	6.9 (13)	4.3 (30)	6.3 (15)	627	14.4 (20)	5.9 (8)	902	8.0 (7)
Eagle	290	6.9 (5)	2.8 (5)	1,077	7.8 (24)	1.9 (5)	11.5 (45)	416	18.0 (36)	13.7 (35)	676	20.6 (38)
El Paso	3,836	10.0 (22)	3.8 (10)	16,705	8.6 (30)	2.8 (12)	6.2 (13)	7,493	13.9 (15)	5.6 (7)	10,131	15.9 (32)
Elbert	21	* *	* *	88	* *	* *	* *	34	* *	* *	49	* *
Fremont	239	7.9 (8)	4.2 (14)	1,181	7.8 (24)	2.4 (7)	6.9 (18)	558	14.5 (21)	5.9 (8)	724	12.6 (24)
Garfield	372	7.5 (7)	4.3 (15)	1,456	6.6 (11)	2.6 (11)	10.0 (39)	533	14.1 (16)	8.8 (18)	769	8.3 (8)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 11 Run Date: 3 / 22 / 10

		Com	parison c	of Growt	h and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)	Height and Weight								
	Low High			Short Under- Obese Stature weight (6) (7) (7)				≥ 2 Yrs Over- weight <sub>(7)</sub>			Anemia Low Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Gilpin	6	* *	* *	34	* *	* *	* *	9	* *	* *	10	* *
Grand	54	* *	* *	186	10.2 (39)	4.8 (34)	5.9 (11)	82	* *	* *	119	5.0 (5)
Gunnison	57	* *	* *	267	6.0 (10)	4.9 (35)	5.6 (10)	112	9.8 (4)	5.4 (6)	162	16.0 (33)
Huerfano	51	* *	* *	185	8.1 (26)	1.6 (3)	10.8 (42)	74	* *	* *	79	* *
Jackson	4	* *	* *	29	* *	* *	* *	16	* *	* *	19	* *
Jefferson	1,815	10.6 (23)	5.1 (20)	7,643	7.2 (17)	3.8 (26)	7.4 (20)	3,201	13.8 (14)	9.1 (19)	4,725	11.0 (16)
Kiowa	5	* *	* *	26	* *	* *	* *	9	* *	* *	16	* *
Kit Carson	35	* *	* *	211	5.2 (5)	2.8 (12)	10.0 (39)	106	16.0 (28)	14.2 (36)	145	8.3 (8)
La Plata	238	8.4 (10)	2.9 (6)	923	7.0 (14)	4.1 (28)	4.9 (5)	348	17.8 (34)	6.9 (11)	546	12.1 (22)
Lake	69	* *	* *	327	9.2 (33)	6.4 (45)	5.2 (8)	146	8.9 (2)	7.5 (12)	168	16.1 (34)
Larimer	1,148	8.7 (13)	4.9 (18)	4,664	7.7 (23)	3.7 (22)	8.4 (25)	2,029	14.1 (16)	10.0 (23)	2,769	13.0 (25)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 12 Run Date: 3 / 22 / 10

		Com	parison o	of Grow	th and A	nemia l	ndicato	rs by C	ounty	(3,4)		
		Birthweight	(5)	Height and Weight								
		Low	High		Short Stature (6)	e weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Las Animas	115	4.3 (2)	0.0 (1)	468	9.0 (32)	2.4 (7)	8.1 (22)	207	13.5 (12)	11.1 (30)	277	17.3 (37)
Lincoln	37	* *	* *	161	5.6 (8)	3.7 (22)	8.1 (22)	72	* *	* *	98	* *
Logan	150	8.7 (13)	5.3 (22)	671	7.3 (18)	3.7 (22)	9.4 (35)	308	17.9 (35)	13.6 (34)	430	11.4 (17)
Mesa	979	8.4 (10)	4.0 (13)	3,627	6.6 (11)	3.4 (20)	8.8 (31)	1,436	12.8 (10)	11.1 (30)	2,031	13.8 (26)
Moffat	134	9.7 (20)	3.0 (7)	483	8.1 (26)	5.4 (39)	5.4 (9)	183	15.8 (24)	8.7 (16)	272	15.8 (31)
Montezuma	156	7.1 (6)	2.6 (2)	760	9.3 (34)	2.9 (14)	7.9 (21)	367	9.8 (4)	7.9 (14)	498	9.0 (13)
Montrose	324	11.4 (24)	4.9 (18)	1,684	8.4 (29)	3.1 (17)	8.2 (24)	837	13.6 (13)	5.3 (5)	290	12.1 (22)
Morgan	308	4.2 (1)	3.9 (11)	1,383	5.6 (8)	1.4 (2)	11.1 (44)	608	17.1 (33)	10.9 (29)	872	10.3 (14)
Otero	205	14.1 (25)	3.9 (11)	1,082	7.4 (20)	2.9 (14)	8.7 (30)	542	16.6 (30)	9.6 (21)	734	8.9 (12)
Ouray	10	* *	* *	45	* *	* *	* *	19	* *	* *	31	* *
Park	41	* *	* *	179	12.3 (46)	6.1 (43)	2.8 (3)	79	* *	* *	66	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 13 Run Date: 3 / 22 / 10

		Com	parison c	of Growt	h and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Phillips	32	* *	* *	173	5.2 (5)	1.7 (4)	11.0 (43)	93	* *	* *	125	4.0 (4)
Pitkin	19	* *	* *	71	* *	* *	* *	29	* *	* *	39	* *
Prowers	141	8.5 (12)	6.4 (26)	661	4.8 (3)	2.4 (7)	12.6 (47)	308	15.9 (27)	17.9 (37)	434	11.5 (19)
Pueblo	1,350	9.1 (17)	3.6 (9)	6,023	8.8 (31)	2.4 (7)	9.8 (38)	2,778	14.1 (16)	9.9 (22)	3,979	8.4 (11)
Rio Blanco	41	* *	* *	182	2.2 (1)	5.5 (41)	7.1 (19)	87	* *	* *	124	14.5 (28)
Rio Grande	98	* *	* *	444	9.9 (38)	5.2 (38)	6.1 (12)	208	16.8 (32)	6.7 (10)	284	3.5 (3)
Routt	65	* *	* *	205	9.3 (34)	7.3 (46)	6.3 (15)	72	* *	* *	80	* *
Saguache	50	* *	* *	278	7.6 (22)	5.8 (42)	5.0 (6)	149	16.1 (29)	4.7 (4)	200	27.5 (40)
San Miguel	18	* *	* *	104	10.6 (41)	3.8 (26)	6.7 (17)	41	* *	* *	66	* *
Sedgwick	11	* *	* *	66	* *	* *	* *	37	* *	* *	52	* *
Summit	112	14.3 (26)	2.7 (3)	549	11.3 (43)	8.2 (47)	8.4 (25)	219	14.2 (19)	10.5 (26)	397	26.2 (39)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 3 / 22 / 10

		Com	parison c	of Growt	h and A	nemia I	ndicato	rs by Co	unty	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight <sub>(7)</sub>		Ane Low F	lb/Hct
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Teller	82	* *	* *	381	11.3 (43)	5.0 (37)	3.9 (4)	167	11.4 (6)	2.4 (2)	238	17.2 (36)
Washinton	13	* *	* *	62	* *	* *	* *	32	* *	* *	30	* *
Weld	1,398	8.3 (9)	5.4 (23)	4,895	7.5 (21)	2.9 (14)	9.7 (37)	1,730	15.8 (24)	10.3 (24)	2,877	10.9 (15)
Yuma	89	* *	* *	429	3.0 (2)	1.2 (1)	8.4 (25)	205	21.0 (37)	7.8 (13)	296	1.4 (2)
Colorado	28,949	9.3	4.5	119,963	7.5	3.4	8.4	51,659	14.5	9.0	72,602	13.1
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	0 6.0	4.5	14.1	2,943,996	6 16.5	14.8	4,916,523	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years  $^{(3)}$ 

(2)

	Com	parison	of Brea	astfeedin	g, TV \	Viewing,	and Si	moking i	n Hous	ehold by	County			
			Breastfe	eeding 6)				Exclusive E	Breastfeed (7)	ing	≤2 Hou Viewin (≀		Smok Hous	ing in ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Numbe	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Adams	3,415	74.1 (18)	2,823	26.0 (19)	2,025	17.1 (14)	0	* *	0	* *	0	* *	0	* *
Alamosa	296	71.3 (21)	253	31.6 (10)	185	17.3 (13)	0	* *	0	* *	0	* *	0	* *
Arapahoe	4,154	79.7 (12)	3,707	30.4 (13)	2,551	18.1 (11)	0	* *	0	* *	0	* *	0	* *
Archuleta	68	* *	55	* *	37	* *	0	* *	0	* *	0	* *	0	* *
Baca	16	* *	21	* *	18	* *	0	* *	0	* *	0	* *	0	* *
Bent	44	* *	34	* *	26	* *	0	* *	0	* *	0	* *	0	* *
Boulder	1,075	87.0 (5)	922	45.1 (4)	675	31.3 (3)	0	* *	0	* *	0	* *	0	* *
Broomfield	142	83.8 (10)	115	33.9 (8)	95	* *	0	* *	0	* *	0	* *	0	* *
Chaffee	69	* *	59	* *	37	* *	0	* *	0	* *	0	* *	0	* *
Cheyenne	39	* *	32	* *	26	* *	0	* *	0	* *	0	* *	0	* *
Clear Crk	29	* *	19	* *	21	* *	0	* *	0	* *	0	* *	0	* *
Costilla	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	0	* *
Custer	9	* *	4	* *	8	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

3 / 22 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

	Com	parison	of Brea	astfeedin	ıg, TV \	∕iewing,	and Si	moking	in Hou	sehold by	County			
			Breastfe	eeding 6)				Exclusive	Breastfee	eding	≤2 Hou Viewin (			ing in ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Numb	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Delta	138	87.7 (4)	111	30.6 (11)	84	* *	0	* *	0	* *	0	* *	0	* *
Denver	4,784	77.3 (14)	3,693	27.2 (17)	2,633	16.7 (16)	0	* *	0	* *	0	* *	0	* *
Dolores	16	* *	14	* *	6	* *	0	* *	0	* *	0	* *	0	* *
Douglas	453	74.4 (16)	347	42.4 (6)	259	33.6 (1)	0	* *	0	* *	0	* *	0	* *
Eagle	290	93.8 (1)	265	45.7 (3)	193	20.2 (9)	0	* *	0	* *	0	* *	0	* *
El Paso	3,838	71.6 (20)	2,969	30.5 (12)	2,299	20.7 (8)	0	* *	0	* *	0	* *	0	* *
Elbert	21	* *	10	* *	11	* *	0	* *	0	* *	0	* *	0	* *
Fremont	239	68.2 (23)	239	24.3 (21)	164	17.7 (12)	0	* *	0	* *	0	* *	0	* *
Garfield	373	93.0 (2)	304	47.4 (2)	223	27.4 (4)	0	* *	0	* *	0	* *	0	* *
Gilpin	6	* *	8	* *	11	* *	0	* *	0	* *	0	* *	0	* *
Grand	54	* *	41	* *	19	* *	0	* *	0	* *	0	* *	0	* *
Gunnison	57	* *	57	* *	53	* *	0	* *	0	* *	0	* *	0	* *
Huerfano	52	* *	27	* *	28	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

(2)

3 / 22 / 10

			Breastfe (6	•				Exclusive		eastfeeding (7)	≤2 Hou Viewing (8		Smoki House	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfer At Least 3 Months	d	Number % Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jackson	4	* *	2	* *	3	* *	0	* *	(	0 * *	0	* *	0	* *
Jefferson	1,815	74.4 (16)	1,706	26.9 (18)	1,440	19.2 (10)	0	* *	(	0 * *	0	* *	0	* *
Kiowa	5	* *	6	* *	5	* *	0	* *	(	0 * *	0	* *	0	* *
Kit Carson	35	* *	37	* *	21	* *	0	* *	(	0 * *	0	* *	0	* *
La Plata	239	90.8 (3)	192	42.2 (7)	146	27.4 (4)	0	* *	(	0 * *	0	* *	0	* *
Lake	69	* *	69	* *	63	* *	0	* *	(	0 * *	0	* *	0	* *
Larimer	1,148	82.8 (11)	979	32.0 (9)	664	21.8 (6)	0	* *	(	0 * *	0	* *	0	* *
Las Animas	115	67.0 (24)	96	* *	60	* *	0	* *	(	0 * *	0	* *	0	* *
Lincoln	37	* *	41	* *	27	* *	0	* *	(	0 * *	0	* *	0	* *
Logan	150	72.0 (19)	144	22.9 (22)	88	* *	0	* *	(	0 * *	0	* *	0	* *
Mesa	979	84.4 (9)	788	25.6 (20)	572	14.9 (17)	0	* *	(	0 * *	0	* *	0	* *
Moffat	134	85.8 (8)	109	29.4 (15)	79	* *	0	* *	(	0 * *	0	* *	0	* *
Montezuma	156	86.5 (6)	130	43.8 (5)	108	33.3 (2)	0	* *	1	0 * *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

(2)

3 / 22 / 10

			Breastfe ((	eeding 6)				Exclusive	Breastfo (7)	eeding	≤2 Hou Viewin (i)		Smoki House	
County	Number	Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Nun	nber % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Montrose	324	77.8 (13)	281	29.9 (14)	231		0	* *	0	(Nalik)	0	* *	0	* *
	310	65.8 (26)	301	15.0 (26)	236		0	* *	0	* *	0	* *	0	* *
Morgan					-			* *		* *		* *	ļ	* *
Otero	205	54.1 (27)	179	16.8 (25)	159		0		0		0		0	
Ouray	10	* *	5	* *	5	* *	0	* *	0	* *	0	* *	0	* *
Park	41	* *	32	* *	21	* *	0	* *	0	* *	0	* *	0	* *
Phillips	32	* *	29	* *	25	* *	0	* *	0	* *	0	* *	0	* *
Pitkin	19	* *	20	* *	6	* *	0	* *	0	* *	0	* *	0	* *
Prowers	141	75.9 (15)	139	21.6 (23)	103	12.6 (18)	0	* *	0	* *	0	* *	0	* *
Pueblo	1,354	66.6 (25)	1,179	20.6 (24)	1,048	12.3 (20)	0	* *	0	* *	0	* *	0	* *
Rio Blanco	42	* *	32	* *	22	* *	0	* *	0	* *	0	* *	0	* *
Rio Grande	98	* *	84	* *	51	* *	0	* *	0	* *	0	* *	0	* *
Routt	65	* *	47	* *	19	* *	0	* *	0	* *	0	* *	0	* *
Saguache	50	* *	49	* *	40	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3 /

(2)

3 / 22 / 10

			Breastfe	•				Exclusive B	reastfeeding (7)		≤2 Hour Viewing (8	g/Day	Smokir House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	N	% eastfed At Least 6 Months Rank)	Number	% (Rank)	Number	% (Rank)
San Miguel	18	* *	17	* *	27	* *	0	* *	0	* *	0	* *	0	* *
Sedgwick	11	* *	8	* *	10	* *	0	* *	0	* *	0	* *	0	* *
Summit	114	86.0 (7)	122	54.1 (1)	97	* *	0	* *	0	* *	0	* *	0	* *
Teller	82	* *	76	* *	56	* *	0	* *	0	* *	0	* *	0	* *
Washinton	13	* *	12	* *	6	* *	0	* *	0	* *	0	* *	0	* *
Weld	1,399	68.5 (22)	1,162	29.1 (16)	866	21.1 (7)	0	* *	0	* *	0	* *	0	* *
Yuma	89	* *	88	* *	59	* *	0	* *	0	* *	0	* *	0	* *
Colorado	28,980	76.4	24,290	29.6	18,051	18.9	0	*	0	*	0	*	0	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this county's rate to other counties. Rank 1 = best rate.

<sup>(6)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>8)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 20 Run Date: 3 / 22 / 10

		Com	parison o	of Grow	th and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Adams	9,715	9.3 (17)	4.9 (35)	38,109	7.2 (19)	3.5 (24)	8.4 (36)	16,109	15.3 (36)	9.4 (25)	22,153	13.8 (32)
Alamosa	856	14.3 (41)	2.5 (11)	3,375	11.0 (51)	4.7 (40)	7.7 (26)	1,451	13.4 (18)	10.7 (37)	2,051	14.8 (38)
Arapahoe	12,045	10.3 (26)	4.5 (31)	47,553	7.1 (16)	4.2 (35)	8.9 (39)	19,741	13.2 (15)	9.5 (26)	28,780	14.0 (34)
Archuleta	189	7.9 (11)	2.1 (8)	741	10.5 (46)	3.8 (31)	4.5 (3)	306	12.7 (12)	4.6 (4)	178	19.7 (46)
Baca	70	* *	* *	330	8.2 (28)	4.2 (35)	11.2 (48)	157	19.1 (46)	15.9 (48)	197	15.2 (41)
Bent	124	12.9 (39)	0.8 (5)	503	9.9 (44)	4.4 (37)	13.7 (54)	220	19.5 (48)	15.5 (47)	320	13.4 (29)
Boulder	3,239	7.5 (8)	5.8 (43)	13,936	5.7 (7)	2.8 (17)	9.8 (44)	6,349	16.4 (42)	12.1 (42)	8,646	12.5 (23)
Broomfield	427	7.7 (9)	4.9 (35)	1,726	9.2 (39)	3.7 (29)	8.1 (31)	766	12.8 (13)	10.4 (34)	972	12.9 (27)
Chaffee	180	12.8 (38)	4.4 (29)	737	10.7 (48)	2.6 (10)	4.5 (3)	293	9.6 (2)	2.4 (1)	431	1.2 (1)
Cheyenne	110	7.3 (6)	3.6 (17)	544	10.5 (46)	3.7 (29)	11.0 (46)	261	14.6 (30)	14.2 (46)	364	9.1 (16)
Clear Crk	108	11.1 (32)	2.8 (13)	442	10.9 (50)	5.2 (45)	3.6 (1)	195	13.3 (16)	4.1 (3)	184	3.3 (3)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 21 Run Date: 3 / 22 / 10

	_	Com	parison o	of Grow	th and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Costilla	4	* *	* *	27	* *	* *	* *	13	* *	* *	20	* *
Crowley	21	* *	* *	119	5.0 (6)	0.8 (1)	18.5 (55)	68	* *	* *	85	* *
Custer	23	* *	* *	99	* *	* *	* *	48	* *	* *	64	* *
Delta	406	9.9 (20)	4.4 (29)	1,701	6.8 (14)	3.8 (31)	9.7 (43)	764	13.9 (22)	10.3 (32)	978	13.0 (28)
Denver	13,723	9.8 (19)	5.0 (37)	48,128	7.3 (20)	3.5 (24)	8.5 (38)	18,134	14.4 (26)	10.2 (31)	29,024	11.0 (21)
Dolores	29	* *	* *	121	13.2 (55)	5.0 (42)	5.8 (8)	56	* *	* *	59	* *
Douglas	1,164	11.3 (34)	3.9 (24)	4,255	6.7 (12)	4.5 (38)	6.3 (13)	1,579	13.9 (22)	6.3 (9)	2,155	4.9 (4)
Eagle	808	7.1 (5)	3.7 (20)	2,804	8.2 (28)	2.2 (7)	11.4 (49)	1,008	18.4 (44)	12.7 (44)	1,656	23.0 (49)
El Paso	11,598	10.5 (28)	3.6 (17)	47,990	9.0 (37)	3.1 (21)	6.4 (18)	20,805	13.6 (19)	6.4 (13)	23,882	15.7 (42)
Elbert	50	* *	* *	252	11.9 (52)	2.8 (17)	6.7 (20)	120	14.2 (24)	5.8 (7)	142	14.8 (38)
Fremont	782	10.2 (24)	3.6 (17)	3,368	8.6 (34)	1.9 (5)	7.5 (25)	1,479	14.9 (33)	6.3 (9)	1,962	11.5 (22)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 22 Run Date: 3 / 22 / 10

		Com	parison o	of Growt	h and A	nemia lı	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Garfield	1,041	8.6 (16)	4.5 (31)	3,779	7.1 (16)	2.6 (10)	9.2 (41)	1,365	14.5 (29)	8.9 (24)	2,044	9.4 (18)
Gilpin	12	* *	* *	45	* *	* *	* *	14	* *	* *	14	* *
Grand	136	11.0 (31)	1.5 (6)	487	7.8 (22)	5.3 (46)	6.0 (11)	201	10.0 (3)	5.0 (5)	295	7.8 (10)
Gunnison	177	11.9 (35)	5.6 (42)	705	6.2 (10)	5.1 (43)	5.8 (8)	282	11.3 (7)	7.4 (17)	400	14.8 (38)
Huerfano	136	14.0 (40)	5.1 (38)	558	9.5 (41)	2.9 (19)	7.7 (26)	243	19.3 (47)	6.2 (8)	272	29.4 (51)
Jackson	15	* *	* *	91	* *	* *	* *	46	* *	* *	56	* *
Jefferson	5,547	10.1 (23)	4.5 (31)	21,777	7.8 (22)	3.6 (26)	7.3 (22)	8,880	15.4 (38)	9.7 (27)	13,049	10.7 (20)
Kiowa	14	* *	* *	67	* *	* *	* *	31	* *	* *	42	* *
Kit Carson	133	5.3 (2)	4.5 (31)	623	5.9 (8)	2.1 (6)	8.2 (33)	294	14.6 (30)	10.9 (38)	406	6.2 (6)
La Plata	703	10.0 (21)	3.3 (16)	2,480	7.8 (22)	4.0 (34)	6.3 (13)	926	16.2 (41)	8.6 (21)	1,364	12.6 (24)
Lake	197	18.3 (44)	0.0 (1)	800	9.5 (41)	7.9 (55)	4.8 (5)	342	11.1 (6)	7.3 (16)	367	17.7 (45)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



tv

Page: 23 Run Date: 3 / 22 / 10

		Com	parison o	of Growt	h and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	emia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Larimer	3,261	8.2 (14)	5.2 (39)	12,903	7.6 (21)	3.6 (26)	8.1 (31)	5,381	15.1 (35)	10.5 (35)	7,577	13.4 (29)
Las Animas	333	12.3 (37)	0.3 (3)	1,299	9.5 (41)	2.5 (9)	8.2 (33)	547	14.4 (26)	10.1 (29)	780	17.6 (44)
Lincoln	129	7.8 (10)	5.4 (40)	530	8.1 (26)	4.9 (41)	6.2 (12)	238	9.2 (1)	8.4 (20)	300	9.0 (15)
Logan	438	8.4 (15)	4.1 (27)	1,902	8.4 (32)	2.7 (14)	11.1 (47)	861	16.0 (40)	14.1 (45)	1,210	12.8 (25)
Mesa	2,584	8.1 (12)	4.1 (27)	9,268	7.1 (16)	3.3 (23)	8.9 (39)	3,413	14.3 (25)	11.2 (40)	4,761	14.0 (34)
Moffat	370	10.8 (30)	3.8 (22)	1,276	8.5 (33)	5.1 (43)	5.4 (7)	479	13.8 (21)	7.7 (18)	735	12.8 (25)
Montezuma	465	7.3 (6)	3.9 (24)	2,012	8.7 (35)	2.7 (14)	8.0 (29)	914	12.4 (9)	7.8 (19)	1,247	8.2 (11)
Montrose	1,030	10.5 (28)	3.8 (22)	4,585	8.2 (28)	2.6 (10)	8.2 (33)	2,166	13.6 (19)	6.3 (9)	867	13.8 (32)
Morgan	873	6.5 (3)	3.9 (24)	3,639	6.4 (11)	1.3 (3)	11.4 (49)	1,635	18.8 (45)	10.6 (36)	2,195	8.6 (14)
Otero	642	10.3 (26)	2.3 (10)	3,026	7.0 (15)	2.7 (14)	8.4 (36)	1,515	14.4 (26)	10.1 (29)	1,995	9.1 (16)
Ouray	28	* *	* *	127	4.7 (5)	5.5 (47)	6.3 (13)	46	* *	* *	80	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 24 Run Date: 3 / 22 / 10

		Com	parison o	of Grow	th and A	nemia I	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% _>95th (Rank)	Number	% (Rank)
Park	103	20.4 (45)	0.0 (1)	492	10.8 (49)	7.1 (53)	4.9 (6)	231	11.3 (7)	5.2 (6)	200	14.5 (37)
Phillips	90	* *	* *	491	6.7 (12)	2.6 (10)	11.8 (51)	248	15.3 (36)	12.1 (42)	330	5.5 (5)
Pitkin	49	* *	* *	177	1.1 (1)	7.3 (54)	7.3 (22)	64	* *	* *	110	38.2 (52)
Prowers	432	10.2 (24)	6.0 (44)	1,835	6.1 (9)	3.1 (21)	11.8 (51)	848	15.9 (39)	17.7 (49)	1,161	13.4 (29)
Pueblo	4,133	9.6 (18)	3.7 (20)	17,267	9.1 (38)	2.4 (8)	10.0 (45)	7,736	14.6 (30)	10.3 (32)	11,130	8.2 (11)
Rio Blanco	107	6.5 (3)	2.8 (13)	403	4.2 (4)	5.5 (47)	7.7 (26)	161	10.6 (4)	8.7 (22)	240	16.3 (43)
Rio Grande	282	12.1 (36)	2.5 (11)	1,321	10.1 (45)	4.5 (38)	6.7 (20)	630	13.3 (16)	8.7 (22)	870	3.2 (2)
Routt	162	11.1 (32)	3.1 (15)	505	8.9 (36)	6.5 (51)	6.3 (13)	169	12.4 (9)	11.8 (41)	247	8.5 (13)
Saguache	150	10.0 (21)	0.7 (4)	834	7.9 (25)	5.5 (47)	5.9 (10)	411	17.3 (43)	7.1 (15)	587	21.6 (48)
San Miguel	78	* *	* *	285	8.1 (26)	3.9 (33)	6.3 (13)	111	12.6 (11)	6.3 (9)	152	25.7 (50)
Sedgwick	30	* *	* *	166	3.6 (3)	3.6 (26)	13.3 (53)	91	* *	* *	120	7.5 (9)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 25 Run Date: 3 / 22 / 10

		Com	parison o	of Growt	h and A	nemia lı	ndicato	rs by Co	ounty	(3,4)		
		Birthweight	(5)									
			Short Under- Obese Stature weight (6) (7) (7)				≥ 2 Yrs Over- weight <sub>(7)</sub>		Anemia Low Hb/Hct (8)			
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Summit	416	16.3 (43)	2.2 (9)	1,546	12.0 (53)	6.5 (51)	8.0 (29)	574	12.9 (14)	9.9 (28)	1,033	21.5 (47)
Teller	258	15.5 (42)	1.9 (7)	1,001	12.0 (53)	5.5 (47)	4.1 (2)	413	10.7 (5)	3.6 (2)	609	14.4 (36)
Washinton	41	* *	* *	183	9.3 (40)	1.6 (4)	6.6 (19)	77	* *	* *	104	6.7 (7)
Weld	4,010	8.1 (12)	5.4 (40)	12,071	8.3 (31)	3.0 (20)	9.5 (42)	3,514	15.0 (34)	11.0 (39)	6,696	9.8 (19)
Yuma	262	4.2 (1)	6.5 (45)	1,186	3.0 (2)	1.1 (2)	7.3 (22)	548	21.4 (49)	6.6 (14)	769	7.2 (8)
Colorado	84,538	9.7	4.4	328,602	7.8	3.4	8.3	135,567	14.5	9.3	188,717	12.6



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Rank compares this county's rate to other counties. Rank 1 = best rate.

<sup>(5)</sup> Infants born during the reporting period included in the analysis.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(7)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(8)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 3 / 22 / 10

(2)

County			Breastfe (f	eeding 6)				Exclusive	Breastfee (7)	eding	≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Numb	Breastfed At Least 6 Months	Number	% (Donly)	Number	%
A 1	44.040	(Rank)	40.040	(Rank)	0.004	(Rank)		(Rank) 		(Rank)		(Rank)		(Rank)
Adams	11,318	70.9 (30)	10,046	22.8 (36)	8,031	12.9 (31)	0		0		0		0	
Alamosa	982	70.6 (31)	858	25.8 (30)	728	16.3 (17)	0	* *	0	* *	0	* *	0	* *
Arapahoe	14,315	78.1 (18)	12,985	27.5 (22)	10,124	15.2 (22)	0	* *	0	* *	0	* *	0	* *
Archuleta	227	88.1 (4)	220	29.1 (16)	161	17.4 (12)	0	* *	0	* *	0	* *	0	* *
Baca	79	* *	78	* *	75	* *	0	* *	0	* *	0	* *	0	* *
Bent	136	68.4 (36)	115	11.3 (46)	103	5.8 (44)	0	* *	0	* *	0	* *	0	* *
Boulder	3,737	85.7 (7)	3,317	38.5 (6)	2,819	23.7 (4)	0	* *	0	* *	0	* *	0	* *
Broomfield	535	76.6 (20)	458	26.6 (25)	380	14.7 (25)	0	* *	0	* *	0	* *	0	* *
Chaffee	220	84.5 (9)	204	30.4 (15)	150	16.7 (14)	0	* *	0	* *	0	* *	0	* *
Cheyenne	137	65.0 (40)	123	26.0 (28)	115	15.7 (20)	0	* *	0	* *	0	* *	0	* *
Clear Crk	126	72.2 (27)	103	31.1 (13)	97	* *	0	* *	0	* *	0	* *	0	* *
Costilla	4	* *	4	* *	5	* *	0	* *	0	* *	0	* *	0	* *
Crowley	13	* *	14	* *	17	* *	0	* *	0	* *	0	* *	0	* :

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 27 Run Date: 3 / 22 / 10

(2)

		Parioon								usehold by				
		Breastfeeding (6)								eding	<2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Numl	per % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
 Custer	32	* *	24	* *	22	* *	0	* *	0	* *	0	* *	0	* *
Delta	509	82.3 (12)	438	27.6 (21)	375	16.5 (15)	0	* *	0	* *	0	* *	0	* *
Denver	15,651	74.1 (25)	13,402	25.3 (33)	10,399	13.7 (27)	0	* *	0	* *	0	* *	0	* *
Dolores	43	* *	46	* *	31	* *	0	* *	0	* *	0	* *	0	* *
							ļ	* *	0	* *	0	* *	0	* *
Douglas	1,563	72.0 (28)	1,323	36.1 (10)	966	24.1 (3)	0		+		1		ļ —	
Eagle	995	88.7 (3)	873	38.0 (8)	664	15.5 (21)	0	* *	0	* *	0	* *	0	* *
El Paso	14,346	70.3 (32)	12,567	26.5 (26)	10,279	15.0 (23)	0	* *	0	* *	0	* *	0	* *
Elbert	64	* *	55	* *	46	* *	0	* *	0	* *	0	* *	0	* *
Fremont	925	69.2 (34)	872	23.2 (35)	731	14.6 (26)	0	* *	0	* *	0	* *	0	* *
Garfield	1,360	88.9 (2)	1,094	40.5 (4)	853	19.9 (9)	0	* *	0	* *	0	* *	0	* *
Gilpin	28	* *	22	* *	17	* *	0	* *	0	* *	0	* *	0	* *
Grand	180	79.4 (16)	151	28.5 (18)	113	13.3 (28)	0	* *	0	* *	0	* *	0	* *
Gunnison	220	86.4 (6)	185	44.3 (2)	158	23.4 (6)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.</p>



Page: 28 Run Date: 3 / 22 / 10

(2)

		Parison	OI DIG0	JUECUIII	y, I V	v ie willy,		noking		isehold by	County			
			Breastfe (f	eeding 6)				Exclusive	Breastfe	eding	<2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Numb	Breastfed At Least 6 Months	Number	% (Darly)	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	ļ	(Rank)
Huerfano	157	75.8 (22)	127	16.5 (44)	109	11.9 (38)	0	* *	0	* *	0	* *	0	* *
Jackson	20	* *	21	* *	25	* *	0	* *	0	* *	0	* *	0	* *
Jefferson	6,534	72.4 (26)	6,040	25.7 (31)	5,097	15.0 (23)	0	* *	0	* *	0	* *	0	* *
Kiowa	22	* *	20	* *	15	* *	0	* *	0	* *	0	* *	0	* *
Kit Carson	152	67.8 (37)	140	25.7 (31)	117	12.8 (33)	0	* *	0	* *	0	* *	0	* *
La Plata	837	87.5 (5)	702	36.3 (9)	559	21.6 (7)	0	* *	0	* *	0	* *	0	* *
Lake	255	50.2 (46)	235	38.7 (5)	207	42.0 (1)	0	* *	0	* *	0	* *	0	* *
Larimer	3,922	78.1 (18)	3,547	28.9 (17)	2,812	16.4 (16)	0	* *	0	* *	0	* *	0	* *
Las Animas	384	62.0 (42)	368	26.4 (27)	276	17.0 (13)	0	* *	0	* *	0	* *	0	* *
Lincoln	146	80.8 (15)	133	30.8 (14)	111	10.8 (40)	0	* *	0	* *	0	* *	0	* *
Logan	506	65.6 (39)	489	20.9 (37)	392	8.2 (43)	0	* *	0	* *	0	* *	0	* *
Mesa	3,196	80.9 (14)	2,756	24.6 (34)	2,177	13.0 (30)	0	* *	0	* *	0	* *	0	* *
Moffat	434	81.6 (13)	365	26.8 (24)	275	12.7 (34)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 29 Run Date: 3 / 22 / 10

(2)

			Breastfe	•				Exclusive E	Breastfee (7)	ding	<pre>&lt;2 Hours TV Viewing/Day (8)</pre>		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Numbe	er % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Montezuma	616	83.1 (10)	566	38.2 (7)	469	21.1 (8)	0	* *	0	* *	0	* *	0	* *
Montrose	1,226	75.3 (24)	1,095	27.1 (23)	947	12.9 (31)	0	* *	0	* *	0	* *	0	* *
Morgan	1,052	59.9 (44)	969	12.1 (45)	756	4.5 (45)	0	* *	0	* *	0	* *	0	* *
Otero	734	61.3 (43)	667	16.6 (43)	592	10.5 (41)	0	* *	0	* *	0	* *	0	* *
Ouray	41	* *	38	* *	35	* *	0	* *	0	* *	0	* *	0	* *
Park	147	75.5 (23)	130	28.5 (18)	114	13.2 (29)	0	* *	0	* *	0	* *	0	* *
Phillips	123	76.4 (21)	125	19.2 (40)	100	12.0 (37)	0	* *	0	* *	0	* *	0	* *
Pitkin	65	* *	61	* *	50	* *	0	* *	0	* *	0	* *	0	* *
Prowers	493	69.0 (35)	446	19.5 (39)	380	12.1 (36)	0	* *	0	* *	0	* *	0	* *
Pueblo	4,579	64.1 (41)	4,241	18.9 (41)	3,805	10.3 (42)	0	* *	0	* *	0	* *	0	* *
Rio Blanco	157	79.0 (17)	125	34.4 (12)	105	16.2 (18)	0	* *	0	* *	0	* *	0	* *
Rio Grande	317	58.7 (45)	294	17.3 (42)	256	12.5 (35)	0	* *	0	* *	0	* *	0	* *
Routt	200	85.0 (8)	164	41.5 (3)	118	23.7 (4)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 30 Run Date: 3 / 22 / 10

(2)

			Breastfe	•				Exclusive I	Breastfee (7)	ding	<2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Numbe	er % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Saguache	187	71.1 (29)	189	25.9 (29)	189	15.9 (19)	0	* *	0	* *	0	* *	0	* *
San Miguel	92	* *	80	* *	67	* *	0	* *	0	* *	0	* *	0	* *
Sedgwick	55	* *	47	* *	45	* *	0	* *	0	* *	0	* *	0	* *
Summit	498	89.0 (1)	433	44.8 (1)	369	25.7 (2)	0	* *	0	* *	0	* *	0	* *
Teller	336	82.7 (11)	304	34.9 (11)	233	18.5 (10)	0	* *	0	* *	0	* *	0	* *
Washinton	51	* *	49	* *	37	* *	0	* *	0	* *	0	* *	0	* *
Weld	4,726	69.4 (33)	4,024	28.1 (20)	3,105	17.9 (11)	0	* *	0	* *	0	* *	0	* *
Yuma	335	65.7 (38)	311	20.9 (37)	262	11.8 (39)	0	* *	0	* *	0	* *	0	* *
Colorado	100,340	74.0	88,878	26.7	71,665	15.0	0	*	0	*	0	*	0	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this county's rate to other counties. Rank 1 = best rate.

<sup>(6)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>8)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.